



**UNITED**  
PERFORMANCE METALS  
AN ONI COMPANY

**NICKEL ALLOYS**  
**TITANIUM**  
**STAINLESS STEEL**  
**COBALT**  
**ALUMINUM**

## AEROSPACE GRADE MATERIALS

### SUPPLY CHAIN MANAGEMENT

- One of the largest high temperature inventories in the country
- GAINSystem state-of-the-art inventory management software
- Nine locations across the globe provide delivery exactly when you need it
- Quality that is second to none will give you peace of mind

### QUALITY SYSTEM APPROVALS

AS9100D, ISO 9001:2015

### LASER PROCESSING APPROVALS

NADCAP AC7116, GE S422

### FIRSTCUT+® PROCESSING SERVICES

- Cut-To-Length
- Leveling
- Slitting
- Edging
- Shearing
- Heat Treating
- Laser Cutting
- Laser Gauge Measurement
- Water Jet Cutting
- Bar Sawing
- Precision Cold Saw Cutting
- Just-In-Time

### INDUSTRY APPROVAL

Boeing, Eaton Aerospace, GE S1000/S-SPEC-1, GKN Aerospace, Honeywell, LISI Aerospace, Lockheed Martin, McDonnell Douglas, Northrop Grumman, Pratt & Whitney LCS, Rolls Royce, Toshiba ASL, Unison

**QUALITY SOLUTIONS. TRUSTED PARTNERS.**

**UNITED PERFORMANCE METALS**

**GET A QUOTE!** 888.282.3292 | [www.upmet.com](http://www.upmet.com) | [sales@upmet.com](mailto:sales@upmet.com)

# AEROSPACE GRADE MATERIALS

NICKEL	SPECIFICATION	SHEET/COIL RANGE	BAR RANGE	PLATE RANGE
<b>A286</b>	UNS S66286, AMS 5525/5858/5731/5732/5737, ASTM A 453/A 638, ASME SA 453/SA 638, EN 1.4980, DIN EN 10204 3.1, PWA, GE, RR	0.016" – 0.125"	0.250" – 6.000"	
<b>A286CR</b>	AMS 5853, 15%–17% COLD REDUCED, PWA, GE, RR		0.260" – 1.510"	
<b>A286CR</b>	AMS 5726, 40%–60% COLD REDUCED, PWA, GE, RR		0.385" – 1.260"	
<b>Alloy 6230</b>	UNS 6230, AMS 5878, ASTM B 435, ASME SB 435	0.025" – 0.125"		
<b>Alloy X</b>	UNS N06002, AMS 5536/5754, ASTM B 435/B 572, ASME SB 435, EN 2.4665, PWA, GE, RR, B50A249C, B50A463	0.020" – 0.130"	0.250" – 6.500"	0.2500" – 3.000"
<b>Waspaloy CR®</b>	UNS N07002, AMS 5708, PWA, GE, RR		0.260" – 0.4475"	
<b>Waspaloy® 5706</b>	UNS N07001, AMS 5706, PWA, GE, RR		0.375" – 2.000"	
<b>Waspaloy® 5708</b>	UNS N07002, AMS 5708, PWA, GE, RR		0.218" – 1.010"	
<b>X750</b>	UNS N07750, AMS 5598/5542, ASTM B 637, ASME SB 637, W.Nr. 2.4669, PWA, GE, RR	0.023" – 0.075"		
<b>600</b>	UNS N06600, AMS 5540, ASTM B 168, ASME SB 168, EN 2.4816, 10204, PWA, GE	0.018" – 0.065"		
<b>625</b>	UNS N06625, AMS 5599/5666, ASTM B 443 Gr 1/B 446, ASME SB 443 Gr 1, EN 2.4856, EN 10204, PWA, GE, RR, EMS95377	0.016" – 0.130"	0.375" – 7.000"	0.1875" – 2.000"
<b>718</b>	UNS N07718, AMS 5596/5662, ASTM B 670/B 637, ASME SB 670, EN 2.4668, EN 10204, PWA, GE, RR, B50TF14, B50TF15	0.016" – 0.165"	0.250" – 10.000"	0.1875" – 2.000"
<b>718 CR</b>	UNS N07718, AMS 5962, PWA, GE, RR		0.260" – 1.635"	
TITANIUM	SPECIFICATION	SHEET/COIL RANGE	BAR RANGE	PLATE RANGE
<b>CP Grade 2</b>	UNS R50400, AMS 4902, ASTM F 67/B 265/B 348, MIL-T-9046/9047 CP-3	0.016" – 0.125"	0.125" – 0.500"	0.250" – 0.500"
<b>CP Grade 3</b>	UNS R50550, AMS 4900, ASTM F 67/B 265, MIL-T-9046 CP-2	0.012" – 0.063"		
<b>CP Grade 4</b>	UNS R50700, AMS 4901/4921, ASTM F 67/B 265/B 348, MIL-T-9046/9047 CP-1	0.012" – 0.080"	0.250"	0.250"
<b>Ti-6AL-4V</b>	UNS R56400, AMS 4911/4928/4967/6932, ASTM F 1472/B 265/B 348 GR 5, MIL-T-9046/9047, AB-1, PWA, GE, RR	0.012" – 0.125"	0.2499" – 8.500"	0.250" – 4.000"
<b>Ti-6AL-4V ELI</b>	UNS R56401, AMS 4930/AMS6932, ASTM F 136/B 265/B 348 GR 23, MIL-T-9046/9047		0.125" – 3.000"	0.250" – 1.000"
STAINLESS STEEL	SPECIFICATION	SHEET/COIL RANGE	BAR RANGE	PLATE RANGE
<b>Greek Ascology</b>	UNS S41800, AMS 5616, PWA, GE, RR		0.260" – 6.000"	
<b>15-5 PH</b>	UNS S15500, AMS 5659, ASTM A 564		0.500" – 6.500"	
<b>17-4 PH</b>	UNS S17400, AMS 5604, ASTM A 693, ASME SA 693, W.NR 1.4542, PWA, GE, RR	0.029" – 0.130"	0.250" – 5.000"	0.1875" – 2.500"
<b>17-7 PH</b>	UNS S17700, AMS 5528, ASTM A 693, ASME SA 693, W.NR 1.4541, PWA, GE, RR	0.018" – 0.187"		0.1875"
<b>301</b>	UNS S30100, AMS 5901, ASTM A 240/A 666, ASME SA 240/SA 666, EN 1.4310, PWA, GE, RR	0.018" – 0.130"		
<b>301 1/4</b>	UNS S30100, AMS 5517, ASTM A 666, ASME SA 666, EN 1.4310, PWA, GE, RR	0.011" – 0.130"		
<b>301 1/2</b>	UNS S30100, AMS 5518, ASTM A 666, ASME SA 666, EN 1.4310, PWA, GE, RR	0.009" – 0.130"		
<b>301 FH</b>	UNS S31000, AMS 5519, ASTM A 666, ASME SA 666, EN 1.4310, PWA, GE, RR	0.012" – 0.065"		
<b>304/304L</b>	UNS S30400/S30403, AMS 5513/5511, ASTM A 240, ASME SA 240, W.NR 1.4307, PWA, GE, RR	0.018" – 0.130"		
<b>316/316L</b>	UNS S31600/S31603, AMS 5524/5507, ASTM A 167/A 240/F 138/F 899, ASME SA 167/SA 240, W.NR/EN 1.4404, W.NR/EN 1.4401, PWA, GE, RR	0.018" – 0.130"	0.125" – 3.000"	
<b>321</b>	UNS S32100/S32109, AMS 5510/5645, ASTM A 167/A 240/A 276/A 479, ASME SA 167/SA 240, EN 1.4541, PWA, GE	0.011" – 0.130"	Round 0.375" – 9.000" Hex 0.4375" – 1.125"	0.250"
<b>347</b>	UNS S34700, AMS 5512/5646, ASTM A 269/A 276/A 193/A 276, ASME SA 269/SA 276, EN 1.4550, PWA, GE, RR	0.018" – 0.130"	0.3125" – 8.000"	
<b>410</b>	UNS S41000, AMS 5504/5613, ASTM A 240/A 276/A 493/F 899, ASME SA 240, EN 1.4006, PWA, GE, RR	0.018" – 0.145"	1.000" – 8.000"	0.1875" – 1.000"
<b>440C</b>	UNS S44004, AMS 5630 Chem Only			0.1875" – 2.500"
COBALT	SPECIFICATION	SHEET/COIL RANGE	BAR RANGE	PLATE RANGE
<b>Alloy 159®</b>	AMS 5842, PWA, GE, RR		0.774"	
<b>L605</b>	UNS R30605, AMS 5537/5759, B50TF26, PWA, GE, RR	0.029" – 0.065"	0.201" – 4.000"	
<b>MP35N®</b>	AMS 8544, SPS-M-663, PWA, GE, RR		0.325" – 0.649"	
<b>188</b>	UNS R30188, AMS 5608/5772, B50TF74, PWA, GE, RR	0.020" – 0.083"	0.375" – 4.000"	
ALUMINUM	SPECIFICATION	SHEET/COIL RANGE	BAR RANGE	PLATE RANGE
<b>Mic 6®</b>				0.2500" – 2.000"
<b>6061</b>	AMS 4027, ASTM B 209, ASME SB 209			0.1875" – 6.000"

**UNITED PERFORMANCE METALS**

**GET A QUOTE!** 888.282.3292 | [www.upmet.com](http://www.upmet.com) | [sales@upmet.com](mailto:sales@upmet.com)